INDEX TO
EXPERIMENTAL TECHNIQUES

VOLUME 12, 1988

TITLE INDEX

Application of Electrical-Resistance Strain Gages on Wrist Bones of Freshly Frozen Arms *In Vitro* — N.A. Rubayi, 26-27 (June).

Application of Residual Stress Techniques in the Determination of *In-Situ* Load in Reinforcement Bars — A. Owens, 20-22 (May).

Bolt Analysis by Combined Use of the Reflective and Transmission Polariscopes — R.O. Case and H. Mahfuz, 28-31 (May).

Computer-Assisted Instrumented Impact Testing of Reinforced Concrete — F. Ansari and S.X. Yang, 18-21 (Nov.).

Considerations in the Application of Thermoelastic Stress Analysis to the Vibration Testing of Aero-Engine Structures — D.W. Copley, 11s-14s (Mar.).

Construction and Initial Test of an Improved Model of a Concrete Cooling Tower — A. Nikaeen and S.E. Swartz, 22-27 (July).

Crack-Measurement Techniques for High-Temperature Applications — T.E. Kirchner, A. Nagar, L. Domash and P. Burstein, 26-31 (Dec.).

Design of a Flexural-Fatigue Fixture for Unidirectional Fiber-Reinforced Composites — G.C. Shih, 14-18 (Oct.).

Determination of Out-of-Plane Displacements and the Initiation of Buckling in Composite Structural Elements — R.C. Schwarz, 23-28 (Jan.).

Determination of the Stresses in the Faulted Foundation of a Concrete Gravity Dam — D.K. Sehgal, 19-22 (June).

Effects of Pull-Back on Stresses in FRP Flanges, The — A.E. Blach and S.V. Hoa, 12s-16s (Nov.).

Electro-Optical System for Crack Growth Characterization, An — A.A. Sukere, 14-17 (Nov.).

Erroneous Modal-Analysis Data Due to Accelerometer Base Strain — P.L. Walter, 18-19 (Mar.).

Error Analysis for a Single Strain-Gage Determination of the Stress-Intensity Factor K_I, An — J.R. Berger and J.W. Dally, 31-33 (Aug.).

Evaluation of a Modified Arcan Fixture for the In-Plane Shear Test of Materials — S.-C. Yen, J.N. Craddock and K.T. Teh, 22-25 (Dec.).

Getting New Gasket Design Constants from Gasket Tightness Data — J.R. Payne, A. Bazergui and G.F. Leon, 22s-27s (Nov.).

Impact and Longitudinal Wave Propagation — J.F. Doyle, 29-31 (Jan.).

In-Situ Transducer for Dynamic Racket String Tension, An — C.A. Calder and E. Ball, 22-25 (June).

Integrating Accelerometer and Velocity Meter Records — G.J. O'Hara and P.F. Cunniff, 22-25 (Oct.).

Interactive Computerized Mechanical-Testing Measurement System, An — G. Adam, Y. Rosenthal, M. Mark-Markowitch, R. Frenkel, P. Cohen and A. Magen, 23-25 (Aug.).

Low-Cost Microcomputer Oven Controller — K.G. McConnell and L.W. Zachary, 31-33 (Apr.).

Microcomputer Controlled Closed-Loop Testing System in a Vibration Isolated Environment — F. Ansari and S.X. Yang, 25-27 (Feb.).

Moiré to 1370°C — G.L. Cloud and M. Bayer, 24-27 (Apr.).

New Technique for Tensile Testing of Composite Materials at High Strain Rates, A — Z.G. Liu and C.Y. Chiem, 20-21 (Mar.).

Quantitative Infrared Thermography for Measurement of Temperature-Dependent Material Properties — E.A. Fuchs, P. Hughett and D.C. MacMillan, 18-21 (Sept.).

Residual Stress Determination on Nasty Surfaces — P.D. Plotkowski and H.C. Kowalski, 22-23 (Mar.).

Residual-Stress Distribution as a Result of Flame-Straightening Procedure — A.P. Chakravarti, A.M. Nawwar and D.C. Stringer, 19-21 (Oct.).

Review of Current Notations, With Recommendations, on Fracture Toughness Testing of Concrete and Rock — M. Wecharatana and S.E. Swartz, 20-22 (May).

Simple Machining Jig for Chevron-Notched Specimens, A — M. Jenkins, T. Chang and A. Okura, 20-22 (Aug.).

Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry — R.F. Anastasi, Y.Z. Dai and F.P. Chiang, 16-17 (Sept.).

Simultaneous On-Line Measurement of Orthogonal Displacement Fields by Moiré Interferometry — M.S. Dadkhah, F.X. Wang and A.S. Kobayashi, 28-30 (July).

Static Force Measurement of the Human Foot — W.C. Fok, 16-17 (Mar.).

Strain-Gage Misalignment Errors — A Special Case of Interest — R.W. James, 28-29 (June).

Strain-Gaging Earth Penetrators to Provide Dynamic Force Data — R.A. May 26-30 (Aug.).

Stress Analysis of a Helical Coil Automobile Spring Using Rosettes — C.A. Calder and C. Jenkins, 17-20 (Feb.).

Stress Pattern Analysis by Thermal Emission (SPATE) — D.E. Oliver, 3s-6s (Mar.).

Surface Application Technique for Optical-Fiber Strain Sensors, A — J. Sirkis, 22-24 (Nov.).

Technique for Measuring Area Under a Curve, A — J.H. Underwood, 15 (Sept.).

Ten Dollar Load Cell, The — H.A. Nielsen, Jr., 21-24 (Feb.).

Tests With Various Gases in Gasketed Joints — A. Bazergui and G. Louis, 17s-21s (Nov.).

Thermoelastic Stress Analysis of an Automobile Engine Connecting Rod — V. Sarihan, D.E. Oliver and S.S. Russell, 7s-10s (Mar.).

Thick-Film Strain Gage, The — H.A. Nielsen, Jr., 19-22 (Jan.).

Use of an Ultrasonic Extensometer to Determine the Variations in the Assembly Bolt Loads of a Problem Industrial Flange — J.R. Winter, 6s-11s (Nov.).

Using the Ball Bearing as a Force Transducer — G.J. Philips, 32-34 (Dec.).

Using Ultrasonics to Measure the Residual Tension in Bolts — J.H. Bickford, 3s-5s (Nov.).

Vibration Analysis of a Car Body by Means of TV Holography — J.T. Malmo and E. Vikhagen, 28-30 (Apr.).

Vibration Considerations Concerning Vehicular Seating Systems — D.E. Foley and R.J. Allemang, 19-21 (July).

AUTHOR INDEX

Adam, G. — An Interactive Computerized Mechanical-Testing Measurement System, 20-22 (Aug.).

Allemang, R.J. — Vibration Considerations Concerning Vehicular Seating Systems, 19-21 (July).

Anastasi, R.F. — Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry, 16-17 (Sept.).

Ansari, F. — Microcomputer Controlled Closed-Loop Testing System in a Vibration Isolated Environment, 25-27 (Feb.).
Computer-Assisted Instrumented Impact Testing of Reinforced Concrete, 18-21 (Nov.).

Ball, E. — An *In-Situ* Transducer for Dynamic Racket String Tension, 22-25 (June).

Berger, J.R. — An Error Analysis for a Single Strain-Gage Determination of the Stress-Intensity Factor K_I, 31-33 (Aug.).

Bayer, M. — Moiré to 1370oC, 24-27 (Apr.).

Bazergui, A. — Getting New Gasket Design Constants From Gasket Tightness Data, 22s-27s (Nov.).
Tests With Various Gases in Gasketed Joints, 17s-21s (Nov.).

Bickford, J.H. — Using Ultrasonics to Measure the Residual Tension in Bolts, 3s-5s (Nov.).

INDEX TO
EXPERIMENTAL TECHNIQUES

VOLUME 12, 1988

TITLE INDEX

Application of Electrical-Resistance Strain Gages on Wrist Bones of Freshly Frozen Arms *In Vitro* — N.A. Rubayi, 26-27 (June).

Application of Residual Stress Techniques in the Determination of *In-Situ* Load in Reinforcement Bars — A. Owens, 20-22 (May).

Bolt Analysis by Combined Use of the Reflective and Transmission Polariscopes — R.O. Case and H. Mahfuz, 28-31 (May).

Computer-Assisted Instrumented Impact Testing of Reinforced Concrete — F. Ansari and S.X. Yang, 18-21 (Nov.).

Considerations in the Application of Thermoelastic Stress Analysis to the Vibration Testing of Aero-Engine Structures — D.W. Copley, 11s-14s (Mar.).

Construction and Initial Test of an Improved Model of a Concrete Cooling Tower — A. Nikaeen and S.E. Swartz, 22-27 (July).

Crack-Measurement Techniques for High-Temperature Applications — T.E. Kirchner, A. Nagar, L. Domash and P. Burstein, 26-31 (Dec.).

Design of a Flexural-Fatigue Fixture for Unidirectional Fiber-Reinforced Composites — G.C. Shih, 14-18 (Oct.).

Determination of Out-of-Plane Displacements and the Initiation of Buckling in Composite Structural Elements — R.C. Schwarz, 23-28 (Jan.).

Determination of the Stresses in the Faulted Foundation of a Concrete Gravity Dam — D.K. Sehgal, 19-22 (June).

Effects of Pull-Back on Stresses in FRP Flanges, The — A.E. Blach and S.V. Hoa, 12s-16s (Nov.).

Electro-Optical System for Crack Growth Characterization, An — A.A. Sukere, 14-17 (Nov.).

Erroneous Modal-Analysis Data Due to Accelerometer Base Strain — P.L. Walter, 18-19 (Mar.).

Error Analysis for a Single Strain-Gage Determination of the Stress-Intensity Factor K_I, An — J.R. Berger and J.W. Dally, 31-33 (Aug.).

Evaluation of a Modified Arcan Fixture for the In-Plane Shear Test of Materials — S.-C. Yen, J.N. Craddock and K.T. Teh, 22-25 (Dec.).

Getting New Gasket Design Constants from Gasket Tightness Data — J.R. Payne, A. Bazergui and G.F. Leon, 22s-27s (Nov.).

Impact and Longitudinal Wave Propagation — J.F. Doyle, 29-31 (Jan.).

In-Situ Transducer for Dynamic Racket String Tension, An — C.A. Calder and E. Ball, 22-25 (June).

Integrating Accelerometer and Velocity Meter Records — G.J. O'Hara and P.F. Cunniff, 22-25 (Oct.).

Interactive Computerized Mechanical-Testing Measurement System, An — G. Adam, Y. Rosenthal, M. Mark-Markowitch, R. Frenkel, P. Cohen and A. Magen, 23-25 (Aug.).

Low-Cost Microcomputer Oven Controller — K.G. McConnell and L.W. Zachary, 31-33 (Apr.).

Microcomputer Controlled Closed-Loop Testing System in a Vibration Isolated Environment — F. Ansari and S.X. Yang, 25-27 (Feb.).

Moiré to 1370°C — G.L. Cloud and M. Bayer, 24-27 (Apr.).

New Technique for Tensile Testing of Composite Materials at High Strain Rates, A — Z.G. Liu and C.Y. Chiem, 20-21 (Mar.).

Quantitative Infrared Thermography for Measurement of Temperature-Dependent Material Properties — E.A. Fuchs, P. Hughett and D.C. MacMillan, 18-21 (Sept.).

Residual Stress Determination on Nasty Surfaces — P.D. Plotkowski and H.C. Kowalski, 22-23 (Mar.).

Residual-Stress Distribution as a Result of Flame-Straightening Procedure — A.P. Chakravarti, A.M. Nawwar and D.C. Stringer, 19-21 (Oct.).

Review of Current Notations, With Recommendations, on Fracture Toughness Testing of Concrete and Rock — M. Wecharatana and S.E. Swartz, 20-22 (May).

Simple Machining Jig for Chevron-Notched Specimens, A — M. Jenkins, T. Chang and A. Okura, 20-22 (Aug.).

Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry — R.F. Anastasi, Y.Z. Dai and F.P. Chiang, 16-17 (Sept.).

Simultaneous On-Line Measurement of Orthogonal Displacement Fields by Moiré Interferometry — M.S. Dadkhah, F.X. Wang and A.S. Kobayashi, 28-30 (July).

Static Force Measurement of the Human Foot — W.C. Fok, 16-17 (Mar.).

Strain-Gage Misalignment Errors — A Special Case of Interest — R.W. James, 28-29 (June).

Strain-Gaging Earth Penetrators to Provide Dynamic Force Data — R.A. May 26-30 (Aug.).

Stress Analysis of a Helical Coil Automobile Spring Using Rosettes — C.A. Calder and C. Jenkins, 17-20 (Feb.).

Stress Pattern Analysis by Thermal Emission (SPATE) — D.E. Oliver, 3s-6s (Mar.).

Surface Application Technique for Optical-Fiber Strain Sensors, A — J. Sirkis, 22-24 (Nov.).

Technique for Measuring Area Under a Curve, A — J.H. Underwood, 15 (Sept.).

Ten Dollar Load Cell, The — H.A. Nielsen, Jr., 21-24 (Feb.).

Tests With Various Gases in Gasketed Joints — A. Bazergui and G. Louis, 17s-21s (Nov.).

Thermoelastic Stress Analysis of an Automobile Engine Connecting Rod — V. Sarihan, D.E. Oliver and S.S. Russell, 7s-10s (Mar.).

Thick-Film Strain Gage, The — H.A. Nielsen, Jr., 19-22 (Jan.).

Use of an Ultrasonic Extensometer to Determine the Variations in the Assembly Bolt Loads of a Problem Industrial Flange — J.R. Winter, 6s-11s (Nov.).

Using the Ball Bearing as a Force Transducer — G.J. Philips, 32-34 (Dec.).

Using Ultrasonics to Measure the Residual Tension in Bolts — J.H. Bickford, 3s-5s (Nov.).

Vibration Analysis of a Car Body by Means of TV Holography — J.T. Malmo and E. Vikhagen, 28-30 (Apr.).

Vibration Considerations Concerning Vehicular Seating Systems — D.E. Foley and R.J. Allemang, 19-21 (July).

AUTHOR INDEX

Adam, G. — An Interactive Computerized Mechanical-Testing Measurement System, 20-22 (Aug.).

Allemang, R.J. — Vibration Considerations Concerning Vehicular Seating Systems, 19-21 (July).

Anastasi, R.F. — Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry, 16-17 (Sept.).

Ansari, F. — Microcomputer Controlled Closed-Loop Testing System in a Vibration Isolated Environment, 25-27 (Feb.).
Computer-Assisted Instrumented Impact Testing of Reinforced Concrete, 18-21 (Nov.).

Ball, E. — An *In-Situ* Transducer for Dynamic Racket String Tension, 22-25 (June).

Berger, J.R. — An Error Analysis for a Single Strain-Gage Determination of the Stress-Intensity Factor K_I, 31-33 (Aug.).

Bayer, M. — Moiré to 1370oC, 24-27 (Apr.).

Bazergui, A. — Getting New Gasket Design Constants From Gasket Tightness Data, 22s-27s (Nov.).
Tests With Various Gases in Gasketed Joints, 17s-21s (Nov.).

Bickford, J.H. — Using Ultrasonics to Measure the Residual Tension in Bolts, 3s-5s (Nov.).

Biach, A.E. — The Effects of Pull-Back on Stresses in FRP Flanges, 12s-16s (Nov.).
Burstein, P. — Crack-Measurement Techniques for High-Temperature Applications, 26-31 (Dec.).
Calder, C.A. — Stress Analysis of a Helical Coil Automobile Spring Using Rosettes, 17-20 (Feb.).
An *In-Situ* Transducer for Dynamic Racket String Tension, 22-25 (June).
Case, R.O. — Bolt Analysis by Combined Use of the Reflective and Transmission Polariscopes, 28-31 (May).
Chakravarti, A.P. — Residual-Stress Distribution as a Result of Flame-Straightening Procedure, 19-21 (Oct.).
Chang, T. — A Simple Machining Jig for Chevron-Notched Specimens, 20-22 (Aug.).
Chiang, F.P. — Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry, 16-17 (Sept.).
Chiem, C.Y. — A New Technique for Tensile Testing of Composite Materials at High Strain Rates, 20-21 (Mar.).
Cloud, G.L. — Moiré to 1370°C, 24-27 (Apr.).
Cohen, P. — An Interactive Computerized Mechanical-Testing Measurement System, 23-25 (Aug.).
Copley, D.W. — Considerations in the Application of Thermoelastic Stress Analysis to the Vibration Testing of Aero-Engine Structures, 11s-14s (Mar.).
Craddock, J.N. — Evaluation of a Modified Arcan Fixture for the In-Plane Shear Test of Materials, 22-25 (Dec.).
Cunniff, P.F. — Integrating Accelerometer and Velocity Meter Records, 22-25 (Oct.).
Dadkhah, M.S. — Simultaneous On-Line Measurement of Orthogonal Displacement Fields by Moiré Interferometry, 28-30 (July).
Dai, Y.Z. — Simplified Procedure for Obtaining High-Frequency, Highly-Reflective Specimen Gratings for Moiré Interferometry, 16-17 (Sept.).
Daily, J.W. — An Error Analysis for a Single Strain-Gage Determination of the Stress-Intensity Factor K_I, 31-33 (Aug.).
Domash, L. — Crack-Measurement Techniques for High-Temperature Applications, 26-31 (Dec.).
Doyle, J.F. — Impact and Longitudinal Wave Propagation, 29-31 (Jan.).
Fok, W.C. — Static Force Measurement of the Human Foot, 16-17 (Mar.).
Foley, D.E. — Vibration Considerations Concerning Vehicular Seating Systems, 19-21 (July).
Frenkel, R. — An Interactive Computerized Mechanical-Testing Measurement System, 23-25 (Aug.).
Fuchs, E.A. — Quantitative Infrared Thermography for Measurement of Temperature-Dependent Material Properties, 18-21 (Sept.).
Hoa, S.V. — The Effects of Pull-Back on Stresses in FRP Flanges, 12s-16s (Nov.).
Hughett, P. — Quantitative Infrared Thermography for Measurement of Temperature-Dependent Material Properties, 18-21 (Sept.).
James, R.W. — Strain-Gage Misalignment Errors — A Special Case of Interest, 28-29 (June).
Jenkins, C. — Stress Analysis of a Helical Coil Automobile Spring Using Rosettes, 17-20 (Feb.).
Jenkins, M. — A Simple Machining Jig for Chevron-Notched Specimens, 20-22 (Aug.).
Kirchner, T.E. — Crack-Measurement Techniques for High-Temperature Applications, 26-31 (Dec.).
Kobayashi, A.S. — Simultaneous On-Line Measurement of Orthogonal Displacement Fields by Moiré Interferometry, 28-30 (July).
Kowalski, H.C. — Residual Stress Determination on Nasty Surfaces, 22-23 (Mar.).
Leon, G.F. — Getting New Gasket Design Constants from Gasket Tightness Data, 22s-27s (Nov.).
Liu, Z.G. — A New Technique for Tensile Testing of Composite Materials at High Strain Rates, 20-21 (Mar.).
Louis, G. — Tests With Various Gases in Gasketed Joints, 17s-21s (Nov.).
MacMillan, D.C. — Quantitative Infrared Thermography for Measurement of Temperature-Dependent Material Properties, 18-21 (Sept.).
Magen, A. — An Interactive Computerized Mechanical-Testing Measurement System, 23-25 (Aug.).
Mahfuz, H. — Bolt Analysis by Combined Use of the Reflective and Transmission Polariscopes, 28-31 (May).
Malmo, J.T. — Vibration Analysis of a Car Body by Means of TV Holography, 28-30 (Apr.).
Mark-Markowitch, M. — An Interactive Computerized Mechanical-Testing Measurement System, 23-25 (Aug.).
May, R.A. — Strain-Gaging Earth Penetrators to Provide Dynamic Force Data, 26-33 (Aug.).
McConnell, K.G. — Low-Cost Microcomputer Oven Controller, 31-33 (Apr.).
Nagar, A. — Crack-Measurement Techniques for High-Temperature Applications, 26-31 (Dec.).
Nawwar, A.M. — Residual-Stress Distribution as a Result of Flame-Straightening Procedure, 19-21 (Oct.).
Nielsen, Jr., H.A. — The Thick-Film Strain Gage, 19-22 (Jan.).
The Ten Dollar Load Cell, 21-24 (Feb.).
Nikaeen, A. — Construction and Initial Test of an Improved Model of a Concrete Cooling Tower, 22-27 (July).
O'Hara, G.J. — Integrating Accelerometer and Velocity Meter Records, 22-25 (Oct.).
Okura, A. — A Simple Machining Jig for Chevron-Notched Specimens, 20-22 (Aug.).
Oliver, D.E. — Stress Pattern Analysis by Thermal Emission (SPATE), 3s-6s (Mar.).
Thermoelastic Stress Analysis of an Automobile Engine Connecting Rod, 7s-10s (Mar.).
Owens, A. — Application of Residual Stress Techniques in the Determination of *In-Situ* Load in Reinforcement Bars, 23-27 (May).
Payne, J.R. — Getting New Gasket Design Constants from Gasket Tightness Data, 22s-27s (Nov.).
Philips, G.J. — Using the Ball Bearing as a Force Transducer, 32-34 (Dec.).
Piotkowski, P.D. — Residual Stress Determination on Nasty Surfaces, 22-23 (Mar.).
Rosenthal, Y. — An Interactive Computerized Mechanical-Testing Measurement System, 23-25 (Aug.).
Rubayi, N.A. — Application of Electrical-Resistance Strain Gages on Wrist Bones of Freshly Frozen Arms *In Vitro*, 26-27 (June).
Russell, S.S. — Thermoelastic Stress Analysis of an Automobile Engine Connecting Rod, 7s-10s (Mar.).
Sarihan, V. — Thermoelastic Stress Analysis of an Automobile Engine Connecting Rod, 7s-10s (Mar.).
Schwarz, R.C. — Determination of Out-of-Plane Displacements and the Initiation of Buckling in Composite Structural Elements, 23-28 (Jan.).
Sehgal, D.K. — Determination of the Stresses in the Faulted Foundation of a Concrete Gravity Dam, 19-21 (June).
Shih, G.C. — Design of a Flexural-Fatigue Fixture for Unidirectional Fiber-Reinforced Composites, 14-18 (Oct.).
Sirkis, J. — A Surface Application Technique for Optical-Fiber Strain Sensors, 22-24 (Nov.).
Stringer, D.C. — Residual-Stress Distribution as a Result of Flame-Straightening Procedure, 19-21 (Oct.).
Sukere, A.A. — An Electro-Optical System for Crack Growth Characterization, 14-17 (Nov.).
Swartz, S.E. — Review of Current Notations, With Recommendations, on Fracture Toughness Testing of Concrete and Rock, 20-22 (May).
Construction and Initial Test of an Improved Model of a Concrete Cooling Tower, 22-27 (July).
Teh, K.T. — Evaluation of a Modified Arcan Fixture for the In-Plane Shear Test of Materials, 22-25 (Dec.).
Underwood, J.H. — A Technique for Measuring Area Under a Curve, 15 (Sept.).
Vikhagen, E. — Vibration Analysis of a Car Body by Means of TV Holography, 28-30 (Apr.).
Walter, P.L. — Erroneous Modal-Analysis Data Due to Accelerometer Base Strain, 18-19 (Mar.).
Wang, F.X. — Simultaneous On-Line Measurement of Orthogonal Displacement Fields by Moiré Interferometry, 28-30 (July).
Wecharatana, M. — Review of Current Notations, With Recommendations, on Fracture Toughness Testing of Concrete and Rock, 20-22 (May).
Winter, J.R. — Use of an Ultrasonic Extensometer to Determine the Variations in the Assembly Bolt Loads of a Problem Industrial Flange, 6s-11s (Nov.).
Yang, S.X. — Microcomputer Controlled Closed-Loop Testing System in a Vibration Isolated Environment, 25-27 (Feb.).
Computer-Assisted Instrumented Impact Testing of Reinforced Concrete, 18-21 (Nov.).
Yen, S.-C. — Evaluation of a Modified Arcan Fixture for the In-Plane Shear Test of Materials, 22-25 (Dec.).